


BENTEK SOLAR PROVIDES SIMPLE SOLUTIONS TO MEET YOUR UTILITY-SCALE NEEDS.



One solution:
**Bentek Solar
Circuit Breaker
Recombiner**

Four requirements – One solution:

1. Input circuits numbering greater than or equal to the number of inverter fused inputs.
2. Load-break disconnects that meet NEC requirements.
3. Overcurrent protection required.
4. PV current monitoring is required.

CB Recombiner provides:

- ▶ Circuit inputs equal to or less than the number of inverter fuses.
- ▶ Bentek overcurrent protection.
- ▶ Bentek NEC-compliant load-break disconnects in a single enclosure.
- ▶ Bentek Zone Current Monitoring.



**BENTEK
UTILITY**



**BENTEK
ZONE MONITORING**

Bentek
SOLAR

www.benteksolar.com
1-866-505-0303

Info@Bentek.com
2350 Harris Way, San Jose CA 95131

BENTEK SOLAR PROVIDES SIMPLE SOLUTIONS TO MEET YOUR UTILITY-SCALE NEEDS.



One solution:
**Bentek Solar Circuit
Breaker Safety
System (CBSS)**

Three requirements – One solution:

1. Load-break disconnects that meet NEC requirements.
2. Overcurrent protection required.
3. PV current monitoring is required.

CBSS provides:

- ▶ Bentek overcurrent protection.
- ▶ Bentek NEC-compliant load-break disconnects in a single enclosure.
- ▶ Bentek Zone Current Monitoring.



**BENTEK
UTILITY**



**BENTEK
ZONE MONITORING**

Bentek
SOLAR

www.benteksolar.com.
1-866-505-0303

Info@Bentek.com
2350 Harris Way, San Jose CA 95131

BENTEK SOLAR PROVIDES SIMPLE SOLUTIONS TO MEET YOUR UTILITY-SCALE NEEDS.



Two requirements – One solution:

1. Load-break disconnects that meet NEC requirements.
2. PV current monitoring is required.

MDSS provides:

- ▶ Bentek NEC-compliant load-break disconnects in a single enclosure.
- ▶ Bentek Zone Current Monitoring.

One solution:
**Bentek Solar Multiple
Disconnect Safety
System (MDSS)**



**BENTEK
UTILITY**



**BENTEK
ZONE MONITORING**

**Bentek
SOLAR**

www.benteksolar.com.
1-866-505-0303

Info@Bentek.com
2350 Harris Way, San Jose CA 95131